
### WATEROUS

# **QC** Series Transmission **Service Parts List** As used with CR, CRU-2 and S100 Series Fire Pump

			See Page				
Pump Model (Located on Serial Plate)	Case Mounting (Viewed from Input Side)	Bellhousing Adapter		External Components			
			Internal Components	Input Shaft Side and Bottom of Case	Output Shaft Side and Top of Case	Cross Section View	Cooling Lines
	Rotated 45° Clockwise	No	2	4	5	14	16
	Vertical		2	6	7		16
CRQC	Vertical	Yes	3	8	9		16
	Inverted		3	10	11		17
	Vertical	No	2	6	7		18
	Rotated 45° Clockwise		2	4	5		19
CRUQC-2	Vertical	Yes	3	8	9		18
	Inverted		3	10	11		20
S100QC	Vertical	Yes	3	8	12	A <b>F</b>	21
	Inverted		3	10	13	15	22


WaterousCompany, 125 Hardman Avenue South, South St. Paul, Minnesota 55075 USA (651) 450-5000 www.waterousco.com Note: When ordering parts, provide Pump, Transmission or PTO Serial Number.

#### **Document Number** SPL83331




### With Bellhousing Adapter

### Without Bellhousing Adapter



Rev. Date


Optional Companion Flanges			
Series	Part Number		
1480/1550	61319		
1610	61320		




### Internal Components (Without Bellhousing Adapter)


Ref No.	Description
T4	Sleeve-Seal, Oil
T5	Flange-Companion
T10	Spring-Wave
T15	Bearing, Ball, Single Row
*T17	Seal-Oil, 2 x 2-3/4 in
T19	Washer-Plain, 1 in
*T26	Nut-Self Locking, 1-20 UNEF-2B
T29	Chain and Pin Set-3/4 in Pitch
Т30	Spacer-Shaft, Drive
T35	Sprocket-Drive
T36	Shaft-Drive
T39	Key-Square, 1/2 x 1-3/4 in
T43	Sprocket-Driven
T44	Sleeve-Seal, Oil
*T45	Seal-Oil, 3 x 3-3/4 in
T46	Bearing-Ball, Double Row, Angular Contact
T47	Spacer-Shaft, Impeller
*T48	Washer-Lock, Bearing
T49	Nut-Lock, Bearing
T50	Spacer-Shaft, Impeller
T62	Pin-Connecting, Set
T70	O-Ring and Seal Replacement Kit

SPL83331 Page 2 of 22





T70 O-Ring and Seal Replacement Kit




Detail A


Ref No.	Description	Ref No.	Description
T10	Spring-Wave	*T45	Seal-Oil, 3 x 3-3/4 in
T15	Bearing, Ball, Single Row	T46	Bearing-Ball, Double Row, Angular Contact
T17	Seal-Oil, 2 x 2-3/4 in	T47	Spacer-Shaft, Impeller
T29	Chain and Pin Set-3/4 in Pitch	*T48	Washer-Lock, Bearing
Т30	Spacer-Shaft, Drive	T49	Nut-Lock, Bearing
T35	Sprocket-Drive	T50	Spacer-Shaft, Impeller
T36	Shaft-Drive	T62	Pin-Connecting, Set
Т39	Key-Square, 1/2 x 1-3/4 in	T70	O-Ring and Seal Replacement Kit
T43	Sprocket-Driven	Т86	Plate-Drive (Optional)
T44	Sleeve-Seal, Oil	*Part of	T70 O-Ring and Seal Replacement Kit

Internal Components (With Bellhousing Adapter)


"Part of 170 O-King and Seal Replacement Kit

SPL83331 Page 3 of 22






Ref No.	Description	Ref No.	Description
T1	Breather-Oil	T22	Washer-Lock, 3/4 in
T2	Snubber, 1/8 MNPT x 1/8 FNPT	T23	Plug-Pipe, Headless, 1/8 NPT
Т3	Elbow-Street, 90°, 1/8 NPT	T24	Plug-Pipe, Square Hd, 1/2 NPT
Τ7	Housing-Seal, Oil	T25	Nut-Hex, Nylok, 1/4-20
Т8	Clamp-Wire	T28	Screw-Machine, Pan Hd, 1/4-20 x 5/8 in
Т9	Plug-Site, Glass, 3/4 NPT	T31	Bracket-Mounting, Case
T11	Plug-Magnetic, 3/4 in	T32	Bracket-Hose
T12	Screw-Hex Hd, 1/4-20 x 5/8 in	T34	Cover-Bearing
T13	Screw-Hex Hd, 3/8-16 x 1 in	T37	Case-Transmission, 45°
T14	Screw-Hex Hd, 3/4-10 x 2 in	T38	Pan-Transmission, 45°
*T16	O-Ring, 4 x 4-1/4 in	*T40	O-Ring, 6-3/4 x 7-1/8 in
T18	Washer-Plain, 3/4 in	*T42	O-Ring, 10 x 10-3/8 in
T20	Washer-Lock, 1/4 in	T70	O-Ring and Seal Replacement Kit
T21	Washer-Lock, 3/8 in	T71	Plug-Pipe, Headless, 1/2 NPT






-T21

T13
(Torque to 20 ft lb maximum)




SPL83331 Page 4 of 22



External Components-Output Shaft side and Top of Case (Case rotated 45° clockwise)

Ref No.	Description
T1	Breather, 1/2 NPT
Т6	Cover-Bearing
T13	Screw-Hex Hd, 3/8-16 x 1 in
*T16	O-Ring, 4 x 4-1/4 in
T21	Washer-Lock, 3/8 in
T24	Plug-Pipe, Square Hd, 1/2 NPT
T33	Cover-Case
T37	Case-Transmission
*T41	O-Ring, 7-3/4 X 8-1/8 in
T53	O-Ring, 5-5/8 x 5-7/8 in
T59	Stud-5/8-11 UNC x 5/8-18 UNF, 2-3/16 in
T60	Nut-Hex, 5/8-18
T61	Washer-Lock, 5/8 in
T70	O-Ring and Seal Replacement Kit
T85	Elbow, Street, 45°, 1/2 NPT


SPL83331 Page 5 of 22



Ref No.	Description
T22	Washer-Lock, 3/4 in
T23	Plug-Pipe, Headless, 1/8 NPT
T24	Plug-Pipe, Square Hd, 1/2 NPT
T25	Nut-Hex, Nylok, 1/4-20
T28	Screw-Machine, Pan Hd, 1/4-20 x 5/8 in
T31	Bracket-Mounting, Case
T32	Bracket-Hose
T34	Cover-Bearing
T37	Case-Transmission
T38	Pan-Transmission
*T40	O-Ring, 6-3/4 x 7-1/8 in
*T42	O-Ring, 10 x 10-3/8 in
T70	O-Ring and Seal Replacement Kit


T70 O-Ring and Seal Replacement Kit

SPL83331 Page 6 of 22




External Components-Output Shaft Side and Top of Case (Vertical case without bellhousing adapter)

Ref No.	Description
T1	Breather, 1/2 NPT
Т6	Cover-Bearing
Т8	Clamp-Wire
T12	Screw-Hex Hd, 1/4-20 x 5/8 in
T13	Screw-Hex Hd, 3/8-16 x 1 in
*T16	O-Ring, 4 x 4-1/4 in
T20	Washer-Lock, 1/4 in
T21	Washer-Lock, 3/8 in
T24	Plug-Pipe, Square Hd, 1/2 NPT
T25	Nut-Hex, Nylok, 1/4-20
T28	Screw-Machine, Pan Hd, 1/4-20 x 5/8 in
T32	Bracket-Hose
T33	Cover-Case
*T41	O-Ring, 7-3/4 X 8-1/8 in
*T53	O-Ring, 5-5/8 x 5-7/8 in
T59	Stud-5/8-11 UNC x 5/8-18 UNF, 2-3/16 in
T60	Nut-Hex, 5/8-18
T61	Washer-Lock, 5/8 in
T70	O-Ring and Seal Replacement Kit



Ref No.	Description	Ref No.	Description	
T1	Breather-Oil	T34	Cover-Bearing	
T2	Snubber, 1/8 MNPT x 1/8 FNPT	T37	Case-Transmission	
Т3	Elbow-Street, 90°, 1/8 NPT	T38	Pan-Transmission	
Т8	Clamp-Wire	*T40	O-Ring, 6-3/4 x 7-1/8 in	
T11	Plug-Magnetic, 3/4 in	*T42	O-Ring, 10 x 10-3/8 in	
T12	Screw-Hex Hd, 1/4-20 x 5/8 in	T70	O-Ring and Seal Replacement Kit	
T13	Screw-Hex Hd, 3/8-16 x 1 in	T76	Cover-Access Port	
*T16	O-Ring, 4 x 4-1/4 in	T77	Bushing-Bellhousing Adapter	
T20	Washer-Lock, 1/4 in	T78	Adapter-Bellhousing	
T21	Washer-Lock, 3/8 in	T79	Spacer-Adapter	
T23	Plug-Pipe, Headless, 1/8 NPT	Т80	Spacer	
T24	Plug-Pipe, Square Hd, 1/2 NPT	T81	Screw-Hex Hd, 7/16-14 x 3-1/4 in	
T25	Nut-Hex, Nylok, 1/4-20	T82	Washer-Lock, 7/16 in	
T28	Screw-Machine, Pan Hd, 1/4-20 x 5/8 in	Т83	Screw-Machine, Pan Hd, 1/4-20 x 3/8 in	
T32	Bracket-Hose	*Part of T	*Part of T70 O-Ring and Seal Replacement Kit	


SPL83331 Page 8 of 22



External Components-Output Shaft Side and Top of Case (Vertical case with bellhousing adapter)

Ref No.	Description
T1	Breather, 1/2 NPT
Т6	Cover-Bearing
Т8	Clamp-Wire
Т9	Plug-Site, Glass, 3/4 NPT
T11	Plug-Magnetic, 3/4 in
T12	Screw-Hex Hd, 1/4-20 x 5/8 in
T13	Screw-Hex Hd, 3/8-16 x 1 in
*T16	O-Ring, 4 x 4-1/4 in
T20	Washer-Lock, 1/4 in
T21	Washer-Lock, 3/8 in
T24	Plug-Pipe, Square Hd, 1/2 NPT
T25	Nut-Hex, Nylok, 1/4-20
T28	Screw-Machine, Pan Hd, 1/4-20 x 5/8 in
T32	Bracket-Hose
T33	Cover-Case
*T41	O-Ring, 7-3/4 X 8-1/8 in
*T53	O-Ring, 5-5/8 x 5-7/8 in
T59	Stud-5/8-11 UNC x 5/8-18 UNF, 2-3/16 in
T60	Nut-Hex, 5/8-18
T61	Washer-Lock, 5/8 in
T70	O-Ring and Seal Replacement Kit
T75	Plate-Oil Level
T84	Screw-Drive, #6 x 1/4 in

T70 O-Ring and Seal Replacement Kit




### External Components-Input Shaft Side and Bottom of Case (Inverted case with bellhousing adapter)

Ref No.	Description
T13	Screw-Hex Hd, 3/8-16 x 1 in
*T16	O-Ring, 4 x 4-1/4 in
T20	Washer-Lock, 1/4 in
T21	Washer-Lock, 3/8 in
T33	Cover-Case
T34	Cover-Bearing
T37	Case-Transmission
*T40	O-Ring, 6-3/4 x 7-1/8 in
*T41	O-Ring, 7-3/4 X 8-1/8 in
T70	O-Ring and Seal Replacement Kit
T75	Plate-Oil Level
T76	Cover-Access Port
T77	Bushing-Bellhousing Adapter
T78	Adapter-Bellhousing
T79	Spacer-Adapter
T80	Spacer
T81	Screw-Hex Hd, 7/16-14 x 3-1/4 in
T82	Washer-Lock, 7/16 in
T83	Screw-Machine, Pan Hd, 1/4-20 x 3/8 in
T84	Screw-Drive, #6 x 1/4 in
T89	Bracket-Mounting, Oil Pump
T95	Elbow-Street, 90°, 3/8 NPT
T101	Nipple-Pipe, 1/8 NPT x 2 in
T102	Cap-Pipe, 1/8 FNPT

T81 Thread sealant required on threads


SPL83331 Page 10 of 22



Ref No.	Description
T1	Breather, 1/2 NPT
Т6	Cover-Bearing
T11	Plug-Magnetic, 3/4 in
T13	Screw-Hex Hd, 3/8-16 x 1 in
*T16	O-Ring, 4 x 4-1/4 in
T21	Washer-Lock, 3/8 in
T38	Pan-Transmission
*T42	O-Ring, 10 x 10-3/8 in
*T53	O-Ring, 5-5/8 x 5-7/8 in
T59	Stud-5/8-11 UNC x 5/8-18 UNF, 2-3/16 in
T60	Nut-Hex, 5/8-18
T61	Washer-Lock, 5/8 in
T70	O-Ring and Seal Replacement Kit
T96	Elbow-Street, 90°, 1/2 NPT

T70 O-Ring and Seal Replacement Kit


SPL83331 Page 11 of 22



External Components-Output Shaft Side and Top of Case (S100 Vertical with bellhousing adapter)

Ref No.	Description
	•
T1	Breather, 1/2 NPT
T6	Cover-Bearing
T8	Clamp-Wire
Т9	Plug-Site, Glass, 3/4 NPT
T11	Plug-Magnetic, 3/4 in
T12	Screw-Hex Hd, 1/4-20 x 5/8 in
T13	Screw-Hex Hd, 3/8-16 x 1 in
T20	Washer-Lock, 1/4 in
T21	Washer-Lock, 3/8 in
T24	Plug-Pipe, Square Hd, 1/2 NPT
T25	Nut-Hex, Nylok, 1/4-20
T28	Screw-Machine, Pan Hd, 1/4-20 x 5/8 in
T32	Bracket-Hose
T33	Cover-Case
*T41	O-Ring, 7-3/4 X 8-1/8 in
*T53	O-Ring, 4-7/8 x 5-1/8 in
T59	Stud-Coarse, 1/2-13 x 2-1/4 in
T60	Nut-Hex, 1/2-13
T61	Washer-Lock, 1/2 in
T70	O-Ring and Seal Replacement Kit
T75	Plate-Oil Level
T84	Screw-Drive, #6 x 1/4 in
T85	Elbow, Street, 45°, 1/2 NPT
T105	Plate-Adapter
*T106	O-Ring, 4-1/4 x 4-1/2 in


\*Part of T70 O-Ring and Seal Replacement Kit



Ref No.	Description
T1	Breather, 1/2 NPT
T6	Cover-Bearing
T11	Plug-Magnetic, 3/4 in
T13	Screw-Hex Hd, 3/8-16 x 1 in
*T16	O-Ring, 4 x 4-1/4 in
T21	Washer-Lock, 3/8 in
T38	Pan-Transmission
*T42	O-Ring, 10 x 10-3/8 in
*T53	O-Ring, 4-7/8 x 5-1/8 in
T59	Stud-Coarse, 1/2-13 x 2-1/4 in
T60	Nut-Hex, 1/2-13
T61	Washer-Lock, 1/2 in
T70	O-Ring and Seal Replacement Kit
T96	Elbow-Street, 90°, 1/2 NPT
T105	Plate-Adapter
*T106	O-Ring, 4-1/4 x 4-1/2 in

T70 O-Ring and Seal Replacement Kit


SPL83331 Page 13 of 22



#### CRQC and CRUQC-2 Driveline without Bellhousing Adapter (See sheets 2-11 for part numbers)

Pump Model	Case Mounting (Viewed from Input Side)	Bellhousing Adapter	See Page		
			Internal Components	External Components	
				Input Shaft Side and Bottom of Case	Output Shaft Side and Top of Case
CRQC	Rotated 45° Clockwise	N	2	4	5
	Vertical	No	2	6	7
	Vertical	Yes	3	8	9
	Inverted		3	10	11
CRUQC-2	Vertical	No	2	6	7
	Rotated 45° Clockwise		2	4	5
	Vertical	Yes	3	8	9
	Inverted		3	10	11


#### **Cross Section View**




#### CRQC and CRUQC-2 Driveline with Bellhousing Adapter (See sheets 2-11 for part numbers)

#### For Components See the Following:


SPL83331 Page 14 of 22



S100QC Vertical with Bellhousing Adapter (See page 3, 8 or 12 for part numbers)










### For Components See the Following:

de) Bell		See Page			
	Bellhousing Adapter		External Components		
		Internal Components	Input Shaft Side and Bottom of Case	Output Shaft Side and of Case	
	Yes	3	8	12	
	Yes	3	10	13	

### Stop C Inverted with Bellhousing Adapter (See page 3, 10 or 13 for part numbers)




SPL83331 Page 15 of 22



Ref No.	Description
T51	Adapter-3/8 PTC x 1/4 MNPT
T52	Fitting-Elbow, 3/8 PTC x 1/4 MNPT, 90°
T55	Bushing-Reducing, Pipe, 3/4 x 1/4 NPT
T56	Tubing-Nylon, 3/8 in
T57	Tubing-Nylon, 3/8 in
T58	Tee-Street, 3/4 NPT
T72	Bushing-Reducing, 3/8 MNPT x 1/4 FNPT


SPL83331 Page 16 of 22




CR Cooling Lines and Oil Pump (Inverted case with bellhousing adapter) T112 Oil Cooler Pump Check Valve Replacement Kit

T113 Oil Cooler Pump Diaphragm Replacement Kit

Ref No.	Description
T24	Plug-Pipe. Square Hd, 1/2 NPT
T51	Adapter-3/8 PTC x 1/4 MNPT
T52	Fitting-Elbow, 3/8 PTC x 1/4 MNPT, 90°
T55	Bushing-Reducing, Pipe, 3/4 x 1/4 NPT
T56	Tubing-Nylon, 3/8 in
T57	Tubing-Nylon, 3/8 in
T58	Tee-Street, 3/4 NPT
T72	Bushing-Reducing, 3/8 MNPT x 1/4 FNPT
T88	Pump-Cooler
T90	Nipple-Pipe, 1/2 NPT x 1-1/8 in
T91	Tee-Standard, Pipe, 1/2 NPT
T92	Bushing-Reducing, Pipe, 1/2 x 3/8 NPT
T93	Adapter-Male, 3/8 Flare x 3/8 NPT
T94	Elbow-Male, 3/8 NPT x 3/8 Flare
T97	Hose Assembly
T98	Screw-Machine, Pan Hd, #10-24 x 1 in
T99	Nut-Hex, Nylok, #10-32
T100	Washer-Flat, Machine Screw, #10
T107	Plug-Drain, Magnetic, 1/2
T108	Fuse-ATO, 10 Amp
T109	Holder-Fuse, Inline, 15 Amp
T110	Kit-Converter, 24/12 Volt, Oil Pump
T111	Connector-Wire, Heat Shrink
T112	Oil Cooler Pump Check Valve Replacement Kit
T113	Oil Cooler Pump Diaphragm Replacement Kit




SPL83331 Page 17 of 22



#### CRU-2 Cooling Lines (Vertical case)


Ref No.	Description
T51	Adapter-3/8 PTC x 1/4 MNPT
T52	Fitting-Elbow, 3/8 PTC x 1/4 MNPT, 90°
T55	Bushing-Reducing, Pipe, 3/4 x 1/4 NPT
T56	Tubing-Nylon, 3/8 in
T57	Tubing-Nylon, 3/8 in
T58	Tee-Street, 3/4 NPT

SPL83331 Page 18 of 22




**CRU-2 Cooling Lines** (Case rotated 45° clockwise)

Ref No.	Description
T51	Adapter-3/8 PTC x 1/4 MNPT
T52	Fitting-Elbow, 3/8 PTC x 1/4 MNPT, 90°
T55	Bushing-Reducing, Pipe, 3/4 x 1/4 NPT
T56	Tubing-Nylon, 3/8 in
T57	Tubing-Nylon, 3/8 in
T58	Tee-Street, 3/4 NPT





Ref No.	Description
T24	Plug-Pipe. Square Hd, 1/2 NPT
T51	Adapter-3/8 PTC x 1/4 MNPT
T52	Fitting-Elbow, 3/8 PTC x 1/4 MNPT, 90°
T55	Bushing-Reducing, Pipe, 3/4 x 1/4 NPT
T56	Tubing-Nylon, 3/8 in
T57	Tubing-Nylon, 3/8 in
T58	Tee-Street, 3/4 NPT
T88	Pump-Cooler
T90	Nipple-Pipe, 1/2 NPT x 1-1/8 in
T91	Tee-Standard, Pipe, 1/2 NPT
T92	Bushing-Reducing, Pipe, 1/2 x 3/8 NPT
T93	Adapter-Male, 3/8 Flare x 3/8 NPT
T94	Elbow-Male, 3/8 NPT x 3/8 Flare
T97	Hose Assembly
T98	Screw-Machine, Pan Hd, #10-24 x 1 in
T99	Nut-Hex, Nylok, #10-32
T100	Washer-Flat, Machine Screw, #10
T107	Plug-Drain, Magnetic, 1/2
T108	Fuse-ATO, 10 Amp
T109	Holder-Fuse, Inline, 15 Amp
T110	Kit-Converter, 24/12 Volt, Oil Pump
T111	Connector-Wire, Heat Shrink
T112	Oil Cooler Pump Check Valve Replacement Kit
T113	Oil Cooler Pump Diaphragm Replacement Kit

SPL83331 Page 20 of 22




Ref No.	Description
T51	Adapter-3/8 PTC x 1/4 MNPT
T52	Fitting-Elbow, 3/8 PTC x 1/4 MNPT, 90°
T55	Bushing-Reducing, Pipe, 3/4 x 1/4 NPT
T56	Tubing-Nylon, 3/8 in
T57	Tubing-Nylon, 3/8 in
T58	Tee-Street, 3/4 NPT
T72	Bushing-Reducing, 3/8 MNPT x 1/4 FNPT





## **S100 Cooling Lines and Oil Pump** (Inverted case with bellhousing adapter)

Ref No.	Description
T24	Plug-Pipe. Square Hd, 1/2 NPT
T51	Adapter-3/8 PTC x 1/4 MNPT
T52	Fitting-Elbow, 3/8 PTC x 1/4 MNPT, 90°
T55	Bushing-Reducing, Pipe, 3/4 x 1/4 NPT
T56	Tubing-Nylon, 3/8 in
T57	Tubing-Nylon, 3/8 in
T58	Tee-Street, 3/4 NPT
T72	Bushing-Reducing, 3/8 MNPT x 1/4 FNPT
T88	Pump-Cooler
T90	Nipple-Pipe, 1/2 NPT x 1-1/8 in
T91	Tee-Standard, Pipe, 1/2 NPT
T92	Bushing-Reducing, Pipe, 1/2 x 3/8 NPT
T93	Adapter-Male, 3/8 Flare x 3/8 NPT
T94	Elbow-Male, 3/8 NPT x 3/8 Flare
T97	Hose Assembly
T98	Screw-Machine, Pan Hd, #10-24 x 1 in
T99	Nut-Hex, Nylok, #10-32
T100	Washer-Flat, Machine Screw, #10
T107	Plug-Drain, Magnetic, 1/2
T108	Fuse-ATO, 10 Amp
T109	Holder-Fuse, Inline, 15 Amp
T110	Kit-Converter, 24/12 Volt, Oil Pump
T111	Connector-Wire, Heat Shrink
T112	Oil Cooler Pump Check Valve Replacement Kit
T113	Oil Cooler Pump Diaphragm Replacement Kit



—T110 (24 volt systems only) After April 17, 2024

T112 Oil Cooler Pump Check Valve Replacement Kit

T113 Oil Cooler Pump Diaphragm Replacement Kit

SPL83331 Page 22 of 22