


## Dual Tank Selector Service Parts List

Index:


Component	See Pages
Valve and Controls	2, 3
Hose and Fitting Kit (Optional)	3/4 in.
	1 in.
Electrical Schematic	8, 9



## Valve and Controls

REF NO.	DESCRIPTION
500	Electric Valve Ass'y (Includes 501 and 502)
501	Electric Valve, 5 Port
502	Valve Bracket
503	Instruction Plate
504	Schematic Plate
505	Check Valve, 3/4 FNPT
506	Wye Strainer, 1 in. (Includes 507 and 508)
507	Strainer Screen
508	Strainer Gasket

REF NO.	DESCRIPTION
509	Tank Level Switch, Side or Top/Bottom Mount (Optional)
510	Dual Tank Controller
511	Tank Level Switch Wire Extension, 4 Meter
512	Controller Cable, 3 Meter
513	Hex Plug, 3/4 in. (Brass)
514	Hex Nipple, 3/4 MNPT (Brass)
515	Street Elbow, 90 Deg., 3/4 NPT (Brass)




VALVE AND CONTROLS

## Hose and Fitting Kit, 3/4 in.

REF NO.	DESCRIPTION
505	Valve-Check, 3/4 FNPT
506	Strainer-Wye, 3/4 in. (Includes 507)
507	Screen-Strainer, 3/4 in., Repairs
513	Plug-Hex, 3/4 in.
514	Nipple-Hex, 3/4 in.
517	Valve-Ball, 3/4 FNPT, Rectangular Handle
518	Foam Tank Shut Off Label
519	Bushing-Reducing, 1 MNPT x 3/4 FNPT
521	Adapter-Straight, 12 MJIC x 1/2 MNPT
522	Barb-Hose, 12 FJIC x 3/4 in.


REF NO.	DESCRIPTION
523	Barb-Hose, 3/4 MNPT x 3/4 in.
525	Clamp-Hose, HS, 11/16 to 1-1/4 in.
526	Hose-Spring, Clear, 3/4 in., 8 Feet
527	Tubing-Air Brake, Black, 3/8 in., 4 Feet
528	Nipple-Hex, 1/2 MNPT
529	Adapter-Straight, 1/2 MNPT x 3/8 AB
530	Valve-Check, 1/2 FNPT
531	Strainer-Wye, 1/2 in. (Includes 532)
532	Screen-Strainer, Repairs
533	Nipple-Hex, 1/2 MNPT x 3/4 MNPT
534	B Size Bezel, Yellow



## Hose and Fitting Kit, 1 in.

REF NO.	DESCRIPTION
505	Valve-Check, 3/4 FNPT
506	Strainer-Wye, 1 in. (Includes 507)
507	Screen-Strainer, 1 in., Repairs
513	Plug-Hex, 3/4 in.
514	Nipple-Hex, 3/4 in.
516	Nipple-Hex, 1 in. MNPT (Brass)
517	Valve-Ball, 1 in. FNPT, Rectangular Handle
518	Foam Tank Shut Off Label
519	Bushing-Reducing, 1 MNPT x 3/4 FNPT
520	Reducer, 3/4 FNPT x 1/2 MNPT
523	Barb-Hose, 3/4 MNPT x 1 in.

REF NO.	DESCRIPTION
524	Barb-Hose, 3/4 MNPT x 3/4 in.
525	Clamp-Hose, HS, 13/16 to 1-1/2 in.
526	Hose-Spring, Clear, 1 in., 8 Feet
527	Tubing-Air Brake, Black, 3/8 in., 4 Feet
528	Nipple-Hex, 1/2 MNPT
529	Adapter-Straight, 1/2 MNPT x 3/8 AB
530	Valve-Check, 1/2 FNPT
531	Strainer-Wye, 1/2 in. (Includes 532)
532	Screen-Strainer, Repairs
533	Nipple-Hex, 1/2 MNPT x 3/4 MNPT
534	B Size Bezel, Yellow




IL4189

## Schematic - Electrical

REF NO.	DESCRIPTION
500	Electric Valve Ass'y
509	Tank Level Switch, Side or Top/Bottom Mount (Optional)
510	Dual Tank Controller

REF NO.	DESCRIPTION
511	Tank Level Switch Wire Extension, 4 Meter
512	Controller Cable, 3 Meter





SCHEMATIC - ELECTRICAL